









## AENOR Product Certificate

001/004900

### Annex to Certificate

TRADEMARK FUSIO-TECHNIK

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Cross	20 - 25 - 32 - 40	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	643XX
Elbow 45°	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	635XX
Elbow 90°	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	631XX
End cap	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	650XX
Equal tee	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	641XX
Female elbow	20 - 25 - 32	1/10; 2/10; 4/10; 5/8	Thermofusion / Metallic parts	No	Polypropylene (PP-R)	670XX
Male elbow	20 - 25 - 32	1/10; 2/10; 4/10; 5/8	Thermofusion / Metallic parts	No	Polypropylene (PP-R)	675XX
Reduced tee	25x20x25; 25x20x20; 25x20x25; 32x25x25; 32x20x32; 32x25x32; 40x20x40; 40x25x40; 40x32x40; 50x20x50; 50x25x50; 50x32x50; 50x40x50; 63x20x63; 63x25x63; 63x32x63; 63x40x63; 63x50x63; 75x20x75; 75x25x75; 75x32x75; 75x40x75; 75x50x75; 75x63x75; 90x50x90; 90x63x90; 90x75x90; 110x63x110; 110x75x100; 110x90x110; 125x90x125; 125x110x124	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	642XX
Reducer	25x20; 32x20; 40x20; 40x25; 40x32; 50x20; 50x25; 50x32; 50x40; 63x25; 63x32; 63x40; 63x50; 75x40; 75x50; 75x63; 90x50; 90x63; 90x75; 110x63; 110x75; 110x90; 125x75; 125x90; 125x110	1/10; 2/10; 4/10; 5/8	Thermofusion	No	Polypropylene (PP-R)	621XX



First issued on 2009-03-23  
Last issued on 2023-01-30  
Validity date 2028-01-30



## AENOR Product Certificate

001/004900

### Annex to Certificate

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Socket	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10 ; 2/10 ; 4/10 ; 5/8	Thermofusion	No	Polypropylene (PP-R)	620XX
Straight female	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10 ; 2/10 ; 4/10 ; 5/8	Thermofusion / Metallic parts	No	Polypropylene (PP-R)	660XX
Straight male	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125	1/10 ; 2/10 ; 4/10 ; 5/8	Thermofusion / Metallic parts	No	Polypropylene (PP-R)	662XX

First issued on 2009-03-23  
Last issued on 2023-01-30  
Validity date 2028-01-30





## AENOR Product Certificate



001/004903

AENOR certifies that the organization

### AQUATECHNIK GROUP, S.P.A.

registered office VIA BONSIGNORA, 53 - 21052 BUSTO ARSIZIO (Varese - Italia)

supplies **Polypropylene (PP-R) pipes for hot and cold water installations**

in compliance with UNE-EN ISO 15874-1:2013 (EN ISO 15874-1:2013)  
UNE-EN ISO 15874-2:2013 (EN ISO 15874-2:2013)

TRADEMARK SUPERFLUX  
SERIES 3,2  
DIAMETERS (mm) 20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125  
APPLICATION CLASS / DESIGN 1/8 ; 2/6 ; 4/10 ; 5/6  
PRESSURE (bar)  
OPACITY No

Production site VIA P.F. CALVI, 40 - 20020 MAGNAGO (Milan - Italia)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.16.

First issued on 2009-03-23

Last issued on 2023-04-03

Validity 2028-04-03

Rafael GARCÍA MEIRO  
CEO





## AENOR Product Certificate



001/005743

AENOR certifies that the organization

### AQUATECHNIK GROUP, S.P.A.

registered office VIA BONSIGNORA, 53 21052 BUSTO ARSIZIO (Varese - Italia)

supplies **Polypropylene (PP-R) pipes for hot and cold water installations**

in compliance with UNE-EN ISO 15874-1:2013 (EN ISO 15874-1:2013)  
UNE-EN ISO 15874-2:2013 (EN ISO 15874-2:2013)

Trademark FUSIO-TECHNIK

See annex for more information.

Production site VIA P.F. CALVI, 40 20020 MAGNAGO (Milan - Italia)


Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.16.

First issued on 2012-04-11

Last issued on 2022-12-18

Validity date 2027-12-18

Rafael GARCÍA MEIRO  
Chief Executive Officer





## AENOR Product Certificate

001/005743

### Annex to Certificate

TRADEMARK FUSIO-TECHNIK

SERIES	DIAMETERS (mm)	APPLICATION CLASS /DESIGN PRESSURE (bar)	OPACITY
2,5	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110	1/10; 2/8; 4/10; 5/6	NO
3,2	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110	1/8; 2/6; 4/10; 5/6	NO
5,0	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125 - 160	1/6, 2/6; 4/6	NO

First issued on 2012-04-11  
Last issued on 2022-12-18  
Validity date 2027-12-18

