



Certificate number: 2511724 (1)

Issued 01/12/2025
Expires N/A 1+

Kiwa Regulation 4(KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)
Model number(s) – see Appendix

Aquatechnik Group Spa

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)(a) of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Replication of this certificate is allowed in its entirety.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en-gb/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE



The following products belong to this certificate

Reg4 approval no:	2511724	
Section:	1100	
Application no:	S2511060	
Product description:	Fusio-Technik faser FIBER-T pipe (green & white) for use with Fusio-Technik fittings, electrofusion coupler and butt/socket-welded joints.	
Models:		
61358 20mm PPR Pipe 4m Length 61360 25mm PPR Pipe 4m Length 61362 32mm PPR Pipe 4m Length 61364 40mm PPR Pipe 4m Length 61366 50mm PPR Pipe 4m Length 61368 63mm PPR Pipe 4m Length 61370 75mm PPR Pipe 4m Length 61372 90mm PPR Pipe 4m Length 61374 110mm PPR Pipe 4m Length 61376 125mm PPR Pipe 4m Length 62008 20mm PPR Fusion Straight Coupler 62010 25mm PPR Fusion Straight Coupler 62012 32mm PPR Fusion Straight Coupler 62014 40mm PPR Fusion Straight Coupler 62016 50mm PPR Fusion Straight Coupler 62018 63mm PPR Fusion Straight Coupler 62020 75mm PPR Fusion Straight Coupler 62022 90mm PPR Fusion Straight Coupler 62024 110mm PPR Fusion Straight Coupler 62026 125mm PPR Fusion Straight Coupler 62312 25-20 PPR Female Reducing Coupler 62316 32-25 PPR Female Reducing Coupler 62112 M25 - F20 PPR Reducer 62114 M32 - F20 PPR Reducer 62116 M32 - F25 PPR Reducer 62118 M40 - F20 PPR Reducer 62120 M40 - F25 PPR Reducer 62122 M40 - F32 PPR Reducer 62124 M50 - F20 PPR Reducer 62126 M50 - F25 PPR Reducer 62128 M50 - F32 PPR Reducer 62130 M50 - F40 PPR Reducer 62132 M63 - F25 PPR Reducer 62134 M63 - F32 PPR Reducer 62136 M63 - F40 PPR Reducer 62138 M63 - F50 PPR Reducer 62139 M75 - F40 PPR Reducer 62140 M75 - F50 PPR Reducer 62142 M75 - F63 PPR Reducer 62144 M90 - F50 PPR Reducer 62152 M90 - F63 PPR Reducer 62153 M90 - F75 PPR Reducer 62155 M110 - F63 PPR Reducer 62157 M110 - F75 PPR Reducer 62159 M110 - F90 PPR Reducer 62168 M125 - F75 PPR Reducer 62170 M125 - F90 PPR Reducer 62172 M125 - F110 PPR Reducer	65208 20mm PPR Flange Collar 65210 25mm PPR Flange Collar 65212 32mm PPR Flange Collar 65214 40mm PPR Flange Collar 65216 50mm PPR Flange Collar 65218 63mm PPR Flange Collar 65220 75mm PPR Flange Collar 65222 90mm PPR Flange Collar 65224 110mm PPR Flange Collar 65226 125mm PPR Flange Collar 65266 20mm Flange PN10/16 65268 25mm Flange PN10/17 65270 32mm Flange PN10/18 65272 40mm Flange PN10/19 65274 50mm Flange PN10/20 65276 63mm Flange PN10/21 65278 75mm Flange PN10/22 65280 90mm Flange PN10/23 65282 110mm Flange PN10/24 65284 125mm Flange PN10/25 40358 20mm PPR Ball Valve 40360 25mm PPR Ball Valve 40362 32mm PPR Ball Valve 40364 40mm PPR Ball Valve 40366 50mm PPR Ball Valve 40368 63mm PPR Ball Valve 69508 20mm Electrofusion Coupler 69510 25mm Electrofusion Coupler 69512 32mm Electrofusion Coupler 69514 32mm Electrofusion Coupler 69516 40mm Electrofusion Coupler 69518 63mm Electrofusion Coupler 69520 75mm Electrofusion Coupler 69522 90mm Electrofusion Coupler 69524 110mm Electrofusion Coupler 69526 125mm Electrofusion Coupler 65408 20mm SDR6 Swan Neck 65410 25mm SDR6 Swan Neck 65412 32mm SDR6 Swan Neck 65414 20mm PPR Fiber Swan Neck 65416 25mm PPR Fiber Swan Neck 65418 32mm PPR Fiber Swan Neck 65428 20mm Eccentric Swan neck M/M 65438 20mm Moulded Swan Neck M/F 65458 20mm Bend 90 F/F 65460 25mm Bend 90 F/F 66008 1/2"-20 Threaded Joint Female 66009 1/2"-25 Threaded Joint Female	

63108 20 PPR Elbow 90	66010 3/4" -25 Threaded Joint Female
63110 25 PPR Elbow 90	66011 3/4" - 20 Threaded Joint Female
63112 32 PPR Elbow 90	66013 3/4" - 32 Threaded Joint Female
63114 40 PPR Elbow 90	66108 1/2"- 20 Threaded Joint Female Hexagonal Seat
63116 50 PPR Elbow 90	66109 3/4"- 20 Threaded Joint Female Hexagonal Seat
63118 63 PPR Elbow 90	66110 3/4"- 25 Threaded Joint Female (Hexagon)
63120 75 PPR Elbow 90	66112 1"- 32 Threaded Joint Female (Hexagon)
63122 90 PPR Elbow 90	66114 1 1/4" - 40 Threaded Joint Female (Hexagon)
63124 110 PPR Elbow 90	66116 1 1/2"- 50 Threaded Joint Female (Hexagon)
63126 125 PPR Elbow 90	66118 2" - 63 Threaded Joint Female (Hexagon)
63308 20 PPR Elbow F-M 90	66120 2 1/2" - 75 Threaded Joint Female (Hexagon)
63310 25 PPR Elbow F-M 90	66122 3" - 90 Threaded Joint Female (Hexagon)
63312 32 PPR Elbow F-M 90	66124 4" - 110 Threaded Joint Female (Hexagon)
63314 40 PPR Elbow F-M 90	66126 5" - 125 Threaded Joint Female (Hexagon)
63508 20 PPR Elbow 45	66150 1/2" - 20 Male Transition Piece with Female Thread
63510 25 PPR Elbow 45	66158 1/2" - 20 Male Transition Piece with Female Thread Hex
63512 32 PPR Elbow 45	66208 1/2"-20 Transition Piece with Male Thread
63514 40 PPR Elbow 45	66209 1/2" - 25 Transition Piece with Male Thread
63516 50 PPR Elbow 45	66210 3/4"- 25 Transition Piece with Male Thread
63518 63 PPR Elbow 45	66211 3/4" - 20 Transition Piece with Male Thread
63520 75 PPR Elbow 45	66213 3/4" - 32 Transition Piece with Male Thread
63522 90 PPR Elbow 45	66308 1/2" - 20 Transition piece with Male Thread (Hex)
63524 110 PPR Elbow 45	66310 3/4" - 25 Transition piece with Male Thread (Hex)
63526 125 PPR Elbow 45	66311 3/4" - 20 Transition piece with Male Thread (Hex)
63708 20 PPR Elbow F-M 45	66312 1" - 32 Transition piece with male thread (Hex)
63710 25 PPR Elbow F-M 45	66314 1 1/4" - 40 Transition piece with Male Thread (Hex)
63712 32 PPR Elbow F-M 45	66316 1 1/2"-50 Transition piece with Male Thread (Hex)
64108 20mm PPR Equal Tee	66318 2" - 63 Transition piece with Male Thread (Hex)
64110 25mm PPR Equal Tee	66320 2 1/2" - 75 Transition piece with Male Thread (Hex)
64112 32mm PPR Equal Tee	66321 2 1/2" - 90 Transition piece with Male Thread (Hex)
64114 40mm PPR Equal Tee	66322 3" - 90 Transition piece with Male Thread (Hexagon)
64116 50mm PPR Equal Tee	66324 3" - 110 Transition piece with Male Thread (Hexagon)
64118 63mm PPR Equal Tee	66325 4" - 110 Transition piece with Male Thread (Hexagon)
64120 75mm PPR Equal Tee	66326 5" - 125 Transition piece with Male Thread (Hexagon)
64122 90mm PPR Equal Tee	66350 1/2" - 20 Male Transition Piece with Male Thread
64124 110mm PPR Equal Tee	66358 1/2" - 20 Male Transition Piece with Male Thread (Hex)
64126 125mm PPR Equal Tee	67008 1/2" - 20 Transition Elbow with Female Thread
64218 20 - 25 - 20 PPR Reducing Tee	67009 1/2" - 25 Transition Elbow with Female Thread
64220 25 - 20 - 20 PPR Reducing Tee	67010 3/4" - 25 Transition Elbow with Female Thread
64222 25 - 20 - 25 PPR Reducing Tee	67011 3/4" - 20 Transition Elbow with Female Thread
64232 32 - 25 - 25 PPR Reducing Tee	67013 3/4" - 32 Transition Elbow with Female Thread
64234 32 - 20 - 25 PPR Reducing Tee	67014 1" - 32 Transition Elbow with Female Thread
64240 32 - 25 - 32 PPR Reducing Tee	67108 1/2" - 20 Transition Back Plate Elbow with Female Thread
64242 40 - 20 - 40 PPR Reducing Tee	67109 3/4" - 20 Transition Back Plate Elbow with Fem Thread
64244 40 - 25 - 40 PPR Reducing Tee	67110 3/4" - 25 Transition Back Plate Elbow with Fem Thread
64245 40 - 32 - 32 PPR Reducing Tee	67111 1/2" - 25 Transition Back Plate Elbow with Fem Thread
64246 40 - 32 - 40 PPR Reducing Tee	67208 1/2" - 20 Male Transition Elbow with Fem Thread
64247 50 - 20 - 50 PPR Reducing Tee	67500 1/2" - 25 Transition Elbow with Male Thread
64248 50 - 25 - 50 PPR Reducing Tee	67508 1/2" - 20 Transition Elbow with Male Thread
64250 50 - 32 - 50 PPR Reducing Tee	67509 3/4" - 20 Transition Elbow with Male Thread
64251 50 - 40 - 50 PPR Reducing Tee	67510 3/4" - 25 Transition Elbow with Male Thread
64252 63 - 20 - 63 PPR Reducing Tee	67511 3/4" - 32 Transition Elbow with Male Thread
64254 63 - 25 - 63 PPR Reducing Tee	67512 1" - 32 Transition Elbow with Male Thread
64256 63 - 32 - 63 PPR Reducing Tee	68008 1/2" - 20 Threaded Branch Tee with Fem Thread
64258 63 - 40 - 63 PPR Reducing Tee	68009 3/4" - 20 Threaded Branch Tee with Fem Thread
64260 63 - 50 - 63 PPR Reducing Tee	68010 3/4" - 25 Threaded Branch Tee with Fem Thread
64261 75 - 20 - 75 PPR Reducing Tee	68011 1/2" - 25 Threaded Branch Tee with Fem Thread
64262 75 - 25 - 75 PPR Reducing Tee	68014 3/4" - 32 Threaded Branch Tee with Fem Thread

<p>64264 75 - 32 - 75 PPR Reducing Tee 64266 75 - 40 - 75 PPR Reducing Tee 64268 75 - 50 - 75 PPR Reducing Tee 64270 75 - 63 - 75 PPR Reducing Tee 64280 90 - 50 - 90 PPR Reducing Tee 64282 90 - 63 - 90 PPR Reducing Tee 64284 90 - 75 - 90 PPR Reducing Tee 64286 110 - 63 - 110 PPR Reducing Tee 64288 110 - 75 - 110 PPR Reducing Tee 64290 110 - 90 - 110 PPR Reducing Tee 64294 125 - 90 - 125 PPR Reducing Tee 64296 125 - 110 - 125 PPR Reducing Tee 64308 20mm PPR Equal Cross Tee 64310 25mm PPR Equal Cross Tee 64312 32mm PPR Equal Cross Tee 64314 40mm PPR Equal Cross Tee 65008 20mm PPR Blanking Cap 65010 25mm PPR Blanking Cap 65012 32mm PPR Blanking Cap 65014 40mm PPR Blanking Cap 65016 50mm PPR Blanking Cap 65018 63mm PPR Blanking Cap 65020 75mm PPR Blanking Cap 65022 90mm PPR Blanking Cap 65024 110mm PPR Blanking Cap 65026 125mm PPR Blanking Cap 650472 40mm to 20mm PPR Weld in Saddle 650474 40mm to 25mm PPR Weld in Saddle 650478 50mm to 20mm PPR Weld in Saddle 650480 50mm to 25mm PPR Weld in Saddle 650498 63/75mm to 20mm PPR Weld in Saddle 650500 63/75mm to 25mm PPR Weld in Saddle 650502 63/75mm to 32mm PPR Weld in Saddle 650556 90/110/125mm to 20mm PPR Weld in Saddle 650558 90/110/125mm to 25mm PPR Weld in Saddle 650560 90/110/125mm to 32mm PPR Weld in Saddle 650580 90mm to 40mm PPR Weld in Saddle 650582 90mm to 50mm PPR Weld in Saddle 650600 110mm to 40mm PPR Weld in Saddle 650620 110mm to 50mm PPR Weld in Saddle 650622 110mm to 63mm PPR Weld in Saddle 650638 125mm to 40mm PPR Weld in Saddle 650640 125mm to 50mm PPR Weld in Saddle 650672 160/200mm to 20mm PPR Weld in Saddle 650674 160/200mm to 25mm PPR Weld in Saddle 650676 160/200mm to 32mm PPR Weld in Saddle 69284 32-32 Female Pipe Union Coupling 69286 40-40 Female Pipe Union Coupling 69288 50-50 Female Pipe Union Coupling 69290 63-63 Female Pipe Union Coupling 67178 1/2" - 20 Double Terminal Threaded Female Kit 67190 1/2" - 25 Double Terminal Bracket Female Threaded Elbow</p> <p>All fittings are manufactured at SDR 5 with metal inserts made of CW617N</p>	<p>68016 1" - 32 Threaded Branch Tee with Female Thread 68508 1/2" - 20 Threaded Branch Tee with Male Thread 69010 3/4" - 20 Pipe Union 69011 3/4" - 25 Pipe Union 69012 1" - 25 Pipe Union 69013 1" - 32 Pipe Union 69014 1 1/4" - 32 Pipe Union 69110 3/4" - 20 Bent Pipe Union 69111 3/4" - 25 Bent Pipe Union 69112 1" - 25 Bent Pipe Union 69113 1" - 32 Bent Pipe Union 650660 125mm to 63mm PPR Weld in Saddle 650678 160/200mm to 40mm PPR Weld in Saddle 650680 160mm to 50mm PPR Weld in Saddle 650700 160mm to 63mm PPR Weld in Saddle 650720 160mm to 75mm PPR Weld in Saddle 650740 160mm to 90mm PPR Weld in Saddle 650760 200mm to 50mm PPR Weld in Saddle 650780 200mm to 63mm PPR Weld in Saddle 650800 200mm to 75mm PPR Weld in Saddle 650820 200mm to 90mm PPR Weld in Saddle 650840 200mm to 110mm PPR Weld in Saddle 650860 200mm to 125mm PPR Weld in Saddle 65132 20mm PPR Direct Joint 65134 25mm PPR Direct Joint 65134 25mm PPR Direct Joint 65134 25mm PPR Direct Joint 65136 32mm PPR Direct Joint 65138 40mm PPR Direct Joint 65152 1/2" PPR Direct Female Threaded Joint 65154 3/4" PPR Direct Female Threaded Joint 69114 1 1/4" - 32 Bent Pipe Union 69230 1/2" - 20 Union Transition Piece with Male Thread (Hex) 69232 3/4" - 25 Union Transition Piece with Male Thread (Hex) 69234 1" - 32 Union Transition Piece with Male Thread (Hex) 69236 1 1/4" - 40 Union Transition Piece with Male Thread Hex 69238 1 1/2" - 50 Union Transition Piece with Male Thread Hex 69240 2" - 63 Union Transition Piece with Male Thread (Hex) 69260 F1/2" - 20 Union Transition Piece with Female Thread Hex 69262 F3/4" - 25 Union Transition Piece with Female Thread Hex 69264 F1" - 32 Union Transition Piece with Female Thread Hex 69266 F1 1/4" - 40 Union Transition Piece with Female Thread Hex 69268 F1 1/2" - 50 Union Transition Piece with Female Thread Hex 69270 F2"-63 Union Transition Piece with Female Thread Hex 69280 20-20 Female Pipe Union Coupling 69282 25-25 Female Pipe Union Coupling</p>
---	--

Size:	See models above
Marking:	Aquatechnik on fitting body
Materials:	Non-metallic materials assessed (BS6920) to point of discharge Hygienic Purposes: Non-metallic materials suitable for continuous use up to 70°C. All water contact & exposed components satisfy opacity requirements
Backflow protection notes:	N/A
Additional notes:	Manufacturer recommended maximum working pressure 15.7 Bar